INDEX TO VOLUME 17 OF THE JOURNAL OF THE FISHERIES RESEARCH BOARD OF CANADA

A

Abundance, of fish, etc.
1: 33 (estimation from longline catches)
4: 453 (salmon, Ellerslie Brook)
4: 553 (lobsters in Quoddy region)
Acids, amino
1: 125 (nitrogen, in blood plasma of maturing sockeye)
3: 323 (nitrogen, in blood and tissues of maturing coho)
Acids, nucleic (*see* Nucleosides; Nucleotides)
Activity
4: 487 (effect on trout blood)
Age composition
4: 453 (salmon in Ellerslie Brook)
Alaska
2: 199 (chinook salmon)
Albacore (*Thunnus alalunga*)
2: 221 (distribution in NE Pacific)
Algae
6: 871 (factors in growth of *Chlamydomonas*)
Algonquin Park, Ont.
4: 541 (hybrid trout in)
Alimentary tract (*see* Organs, internal)
Amino acids (*see* Acids, amino)
Ammocoetes
2: 267 (young stages of 2 species, illustrated)
Anadromous fishes
5: 713 (effect of tidal power project on smelt, alewife, shad)
Analysis, chemical (*see also* Limnology; Oceanography)
1: 113 (of internal organs of maturing sockeye)
1: 125 (of blood plasma of maturing sockeye)
3: 323 (of blood and tissues of maturing coho)
3: 337 (methods for phosphorus compounds in marine waters)
3: 347 (histidine content of spleen in maturing sockeye)
3: 371 (phosphorus compounds in lingcod muscle)
3: 449 (inosine and other nucleosides of Pacific salmon muscle)
4: 475 (decomposition products of shrimp)
4: 565 (of tissues of maturing sockeye)
5: 603 (ribose content of lingcod muscle)
6: 811 (urea, etc., in dogfish flesh)
6: 895 (trimethylamine oxide and betaine in lobster)
6: 913 (collagen content of Pacific herring)
Anderson, Roy Clayton
2: 291 (*Pontonema* from clams)
Aquarium
4: 501 (dechlorination of water for)
5: 687 (variable-volume)
Armstrong, Iva L.
1: 1 (time and temperature effects on cooking cod fillets)
Atlantic Ocean (*see* Oceanography, Atlantic)
Austin, Kenneth Hedler
3: 337 (phosphorus cycle in NE Pacific)

B

Bacteria
4: 595 (inhibition of trimethylamine formation by)
6: 811 (in muscle of stored gutted dogfish)
Baggerman, Bertha
3: 295 (salinity preference and seaward migration of salmon)
Baker, Edgar George
6: 811 (keeping quality of dogfish)
Baldwin, Norman Scarlett
4: 541 (life history of hybrid trout)
Barber, Frederick George
1: 91 (estuarine analogy in sub-arctic Pacific Ocean)
Battle, Helen Irene
2: 245 (eggs and development of goldeye)
Bay of Fundy
2: 181 (surface circulation in waters of)
3: 377 (oceanography of an estuary and bay)
5: 735 (herring explorations)
6: 933 (distribution of herring larvae)
Beeton, Alfred Merle
4: 517 (the vertical migration of *Mysis*)
Behaviour
5: 625 (Pacific crab, breeding)
5: 655 (salmon fry in migration)
5: 689 (captive herring)
Bell, Milo C.
4: 507 (fish passage at Passamaquoddy project)
Benthos
4: 591 (dredge for burrowers)
5: 607 (of Lac la Ronge)
Benzoate (*see* Preservative)
Betaine
6: 895 (biosynthesis in lobster)
Bhatia, Darshan Singh
4: 475 (keeping quality of iced Indian shrimps)
Bilinski, Edward
6: 895 (trimethylamine oxide and betaine biosynthesis in lobster)
Biochemistry
1: 113, 125; 3: 347; 4: 565 (of maturing sockeye)
3: 323 (of coho salmon maturing in aquarium)
3: 371; 5: 603 (of lingcod muscle)
3: 449 (of muscle of Pacific salmons)

6: 895 (trimethylamine oxide and betaine in lobster)
6: 903 (effect of marine products on blood cholesterol levels)
6: 913 (collagen content of maturing Pacific herring)
Bitners, Igor Imants
1: 113 (analyses of internal organs of maturing sockeye)
6: 943 (correction)
Black, Edgar Clark
4: 487 (alterations in glycogen, etc., of trout following activity)
Black, William Francis
6: 763 (*Porrocaecum decipiens* in Bras d'Or Lakes)
Blood, fish
1: 125 (changes in plasma of maturing sockeye)
3: 323 (of maturing coho)
3: 347 (histidine content, in maturing sockeye)
4: 487 (changes following activity)
6: 903 (cholesterol levels in)
Bottom fauna (*see* Benthos)
Bourne, Neil
2: 291 (*Pontonema* from clams)
Bras d'Or Lakes, N.S.
6: 762 (life history of *Porrocaecum*)
Brawn, Vivien Mavis
5: 689 (swimming speed of herring)
5: 699 (vertical distribution of Passamaquoddy herring)
5: 721 (temperature tolerance of unacclimated Atlantic herring)
5: 725 (effect of salinity on herring survival)
5: 735 (herring exploration in Bay of Fundy)
Bumpus, Dean Franklin
2: 181 (surface circulation of Bay of Fundy)
Butler, Terrance Henry
5: 641 (maturation and breeding of crabs)

C

Campbell, Neil John
6: 944 (correction)
Capilano River, B.C.
5: 739 (steelhead stocks)
Carbohydrates (*see* Glucose; Inositol; Nucleotides; Ribose)
Castell, Charles Howell
4: 595 (inhibition of bacterially produced trimethylamine)
Catch per unit effort
5: 625 (L. Winnipeg whitefish)
5: 677 (trout in Crecy L., N.B.)
Chang, Violet May
4: 565 (biochemistry of sexually maturing sockeye salmon)
Charlotte Co., N.B.
6: 815 (economics of herring fishery)
Chevrier, Joseph Roland Marcel
6: 743 (drift-bottle experiments in Quoddy region)
Chiu, Wing-Gay
4: 487 (alterations in glycogen, etc., of trout following activity)
Chlorine (*see* Dechlorination)
Cholesterol
1: 113 (amounts in liver and gonads of maturing sockeye)
4: 597 (attempted synthesis of 17-dehydro-)
6: 903 (levels in blood, effect of marine products on)
Circulation, of water (*see also* Limnology; Oceanography)
2: 181 (in Bay of Fundy)
5: 727; 6: 743 (in Passamaquoddy Bay, N.B., and vicinity)
Clam, soft-shell (*Mya arenaria*)
2: 245 (containing *Pontonema*)
Clay, Charles Herbert
4: 507 (fish passage at Passamaquoddy project)
Cobscook Bay (*see* Quoddy region)
Cod, Atlantic (*Gadus morhua*)
4: 501; 6: 762 (nematodes in)
6: 775 (growth and maturity)
Cod, Greenland (*Gadus ogac*)
6: 762 (nematodes in)
Codworm (*see* Nematodes)
Collagen
6: 913 (seasonal variations in Pacific herring)
Conductivity, electrical
4: 583 (in relation to lamprey shocking)
Cooking
1: 1 (frozen cod fillets; time and temperature effects)
Corrections
6: 943
Crab, Pacific edible (*Cancer magister*)
5: 641 (maturity and breeding)
Crampton, Earle Wilcox
1: 81 (effect of feeding *Triaenophorus* to pups)
4: 501 (effect of feeding *Phocanema* to pups)
Creatine
4: 565 (in tissues of sexually maturing sockeye)
Crecy Lake, N.B.
5: 677 (trout season and yield)
Creelman, Vera Marie
3: 371 (phosphorus compounds in lingcod muscle)
3: 449 (inosine in muscle of Pacific salmons)
5: 603 (free ribose in lingcod muscle)
Critical size
2: 199 (for chinook salmon)
Currents, water
3: 377 (St. John River estuary, N.B.)
5: 655 (related to downstream salmon movement)
5: 689 (response of herring to)
5: 727; 6: 743 (Passamaquoddy Bay, N.B., and vicinity)

D

Dechlorination
4: 501 (of water for aquarium use)
Deep scattering layer
2: 211 (vertical migration of)
Density, of water (*see also* Limnology; Oceanography)
3: 377 (in estuary of St. John River, N.B.)
Development (*see* Embryology)
Distribution
2: 221 (epipelagic fishes in NE Pacific)
3: 377 (fishes of St. John estuary, N.B.)
4: 517 (of *Mysis*, vertically)
5: 699 (of herring, seasonal and vertical)
5: 731 (Atlantic fishes)
Dodimead, Allan John
1: 61 (temperature increase in Pacific)
Dog
1: 81 (fish and nematodes in rations)
4: 501 (effect of feeding nematodes on)
Dogfish (*Squalus suckleyi*)
6: 811 (keeping quality of gutted)
Dolly Varden char (*Salvelinus malma*)
6: 929 (consumer of sculpins)
Dolphin, Pacific striped (*Lagenorhynchus obliquidens*)
1: 123 (off British Columbia)
6: 944 (correction)
Donefer, Eugene
4: 501 (effect of feeding *Phocanema* to pups)
Doucet, Wilbert Francis
6: 815 (Charlotte Co. herring fishery)
Doxtator, Everett Arthur
5: 687 (aquarium)
Dredge
4: 591 (for burrowing animals)
Drift bottles
2: 181 (use in Bay of Fundy)
6: 743 (use in Passamaquoddy Bay, N.B., and vicinity)
Duncan, Douglas Wallace
3: 347 (histidine content of maturing sockeye)

E

Echo-sounding
2: 211 (herring and "scattering layers")
5: 699 (vertical distribution of herring)
Economics
5: 625 (L. Winnipeg whitefish fishery)
6: 815 (Charlotte Co. herring fishery)
Eelpout (*Macrozoarces americanus*)
6: 763 (nematodes in)
Eggs (*see also* Organs, internal)
2: 245 (semibuoyant eggs of goldeye)
Ellerslie Brook, P.E.I.
4: 453 (effect of impoundment on salmon)
Embryology and development
2: 245 (goldeye; illustrations)
Enzyme
3: 371; 5: 603 (action on phosphorus compounds in lingcod muscle)
Estuary
1: 91 (analogy to, in sub-arctic Pacific Ocean)
3: 377 (oceanography and biology, St. John River, N.B.)
6: 743 (currents in Passamaquoddy Bay, N.B.)
Euphasiacea
2: 235 (as food of redfish)
Exploration
2: 211; 5: 735 (for Atlantic herring)

F

Fagerlund, Ulf Henrik Mathias
4: 597 (synthesis of marine sterols)
Fat (*see also* Lipids)
1: 113 (amounts in internal organs of maturing sockeye)
3: 323 (amounts in flesh and internal organs of maturing coho)
6: 903 (effects on blood cholesterol levels)
Fillets
1: 1 (cod, time and temperature effects on cooking)
1: 81 (whitefish, harmlessness of *Triaenophorus* in)
4: 501 (cod, harmlessness of *Phocanema* in)
Fishes (*see* Distribution)
Fishing methods
2: 133 (for herring in New Brunswick; illustrations)
Fishways
4: 507 (for Passamaquoddy power project)
Fleming, Allister Melville
6: 775 (growth and maturity of cod)
Flesh (*see also* Fillets)
3: 323 (analyses in maturing coho)
3: 347 (histidine content, in maturing sockeye)
3: 371 (phosphorus compounds in lingcod muscle)
3: 449 (nucleosides in muscle of Pacific salmons)
4: 565 (phosphorus compounds, inositol, creatine in salmon)
5: 603 (ribose in lingcod)
6: 811 (dogfish, keeping quality)
Flounder, yellowtail (*Limanda ferruginea*)
6: 762 (nematodes in)
Flow (volume of)
4: 453 (Ellerslie Brook)
Food
2: 235 (of redfish in Newfoundland area)
4: 541 (of hybrid trout in lakes)
5: 647 (of mutant pike)
5: 655 (of pink salmon fry in fresh water)
6: 762 (of seals, Bras d'Or Lakes)
6: 929 (of dwarf coastrange sculpins)
Forrester, Warren David
5: 727 (current measurements in Passamaquoddy Bay)
Freshness (*see* Quality; Test, freshness)

G

Glucose
1: 125 (in blood plasma of maturing sockeye)
3: 323 (in blood of maturing coho)
4: 487 (in trout blood)
Glycogen
4: 487 (in trout muscle and liver)
Goldeye (*Hiodon alosoides*)
2: 245 (description of eggs and embryos)
Gonads (*see* Organs, internal)
Grand Manan Channel, N.B.
6: 743 (drift-bottle experiments)
Groundfish
2: 169 (catches in relation to tidal power)
Growth rate
1: 41 (haddock)
1: 81 (of pups fed *Triaenophorus*)
2: 199 (chinook salmon)
4: 501 (of pups fed codworms)
4: 541 (hybrid and other trout)
6: 762 (of *Porrocaecum* in cod)
6: 775 (cod)
Gulf of Maine
2: 181 (surface circulation in waters of)
6: 933 (distribution of herring larvae)

H

Haddock (*Melanogrammus aeglefinus*)
2: 175 (Passamaquoddy Bay stock)
Halocline (*see also* Oceanography; Salinity)
3: 353 (at weather station in NE Pacific Ocean)
Hanavan, Mitchell Grattan
2: 221 (epipelagic fishes in the Gulf of Alaska)
Hanslip, Arthur Rennie
4: 487 (alterations in glycogen, etc., of trout following activity)
Hart, John Lawson
2: 127 (Passamaquoddy fisheries investigations)
Heart (*see* Organs, internal)
Heming Lake, Manitoba
5: 647 (mutant pike)
Hemoglobin
4: 487 (in trout blood)
Herring, Atlantic (*Clupea harengus*)
2: 133 (fishery in southern New Brunswick)
3: 409 (plankton food in Quoddy region)
5: 689 (swimming speed)
5: 699 (seasonal and vertical distribution)
5: 721 (temperature tolerance)
5: 725 (survival at low salinity)
5: 735 (explorations in Fundy region)
6: 815 (fishery in Charlotte Co., N.B.)
6: 933 (larval abundance and size)
Herring, Pacific (*Clupea pallasi*)
6: 913 (seasonal variations in collagen content of tissues)
Hewson, Leo Clare
5: 625 (L. Winnipeg whitefish fishery)
Histidine
3: 347 (free, in tissues of maturing sockeye)
Hunter, John Gerald
6: 943 (correction)

I

Idler, David Richard
1: 113; 4: 565 (analyses of internal organs of maturing sockeye)
4: 597 (synthesis of marine sterols)
6: 913 (collagen content of Pacific herring)
6: 943 (correction)
Impoundments
4: 453 (effect on salmon in a brook)
Inosine
3: 449 (in muscle of Pacific salmons)
5: 603 (in lingcod muscle)
Inositol
4: 565 (in muscle of maturing sockeye)
International Passamaquoddy Fisheries Board, Scientific Reports
2: 127 (No. 1); 133 (No. 8); 169 (No. 9); 175 (No. 10); 181 (No. 11)
3: 377 (No. 12); 409 (No. 13)
4: 507 (No. 17); 553 (No. 19)
5: 689 (No. 15); 699 (No. 16); 713 (No. 18); 721 (No. 20); 725 (No. 21); 727 (No. 23); 735 (No. 25)
6: 815 (No. 29); 933 (No. 28); 743 (No. 26)
Iyengar, Jagannath Rangaswamy
4: 475 (keeping quality of iced Indian shrimps)

J

Jack mackerel (*Trachurus symmetricus*)
2: 221 (distribution in NE Pacific)
Jackson, Michael
3: 347 (histidine content of maturing sockeye)
Jonas, Richard Edmund Ernest
1: 125 (analyses of blood plasma of maturing sockeye)
3: 323 (biochemistry of maturing coho)

K

Kennebecasis Bay, N.B.
3: 377 (biological oceanography of estuarine waters)
Kerswill, Charles James
5: 713 (tidal power project and anadromous fishes)
Kidney (*see* Organs, internal)
Kohler, Allan Carl
1: 41 (growth and maturity of haddock)

L

Lac la Ronge, Sask.
5: 607 (benthos)
Lactic acid, lactate
4: 487 (in trout blood)
Lake Winnipeg, Man.
5: 625 (whitefish fishery)
Lakes Huron and Michigan
4: 517 (migration of *Mysis*)
Lambert, Derwent Graham
2: 235 (food of redfish in the Newfoundland area)

Lamprey, American brook (*Entosphenus lamottenii*)
2: 245 (description of young ammocoete)
Lamprey, sea (*Petromyzon marinus*)
2: 245 (description of young ammocoete)
4: 583 (electrical shocking)
Lancetfish, scaled (*Paralepis coregonoides*)
2: 235 (as food of redfish)
Landings (*see* Statistics)
Lanternfishes (*Myctophum punctatum* and *Benthosema glaciale*)
2: 235 (as food of redfish)
Lawler, George Herbert
5: 647 (mutant pike)
Legaré, Joseph Eugène Henri
3: 409 (Quoddy plankton and herring food)
6: 933 (larval herring)
6: 943 (correction)
Leim, Alexander Henry
5: 731 (uncommon fishes off Canadian Maritimes coast)
Length–weight relationship
1: 41 (haddock)
Light
4: 517 (intensity related to *Mysis* movements)
5: 655 (related to downstream salmon migration)
6: 871 (effect on algal growth)
Lingcod (*Ophiodon elongatus*)
3: 371 (phosphorus compounds in muscle)
5: 603 (free ribose in *post-mortem* muscle)
Lipids (*see also* Fat)
3: 371 (phospholipids in lingcod muscle)
4: 565 (phospholipids in tissues of maturing sockeye)
Liver (*see* Organs, internal)
Liver oils
6: 903 (effect on blood cholesterol levels)
Lobster (*Homarus americanus*)
4: 553 (as affected by power structures)
6: 895 (biosynthesis of trimethylamine oxide and betaine)
Lockeport, N.S.
1: 41 (haddock)
Longlining
1: 33 (estimation of abundance from)

Mc and **Mac**

McBride, John Raymond
6: 913 (collagen content of Pacific herring)
McCauley, Robert William
4: 583 (conductivity in shocking lampreys)
4: 601 (dechlorination of water for aquarium use)
McCombie, Alen Milne
6: 871 (growth of *Chlamydomonas*)
McCracken, Francis Derwood
2: 175 (Passamaquoddy Bay haddock)
McDonald, John
5: 655 (behaviour of salmon fry during migration)
McKenzie, Russell Alderson
2: 133 (herring fishery in southern New Brunswick)
6: 944 (correction)
McKernan, Donald Lynn
2: 127 (Passamaquoddy fisheries investigations)
McLaren, Barbara A.
1: 1 (time and temperature effects on cooking cod fillets)
Maclellan, Delphine Caroline
3: 409 (Quoddy plankton and herring food)
MacLeod, Robert Angus
1: 125 (analyses of blood plasma of maturing sockeye)
3: 323 (biochemistry of maturing coho)
6: 913 (collagen content of Pacific herring)

M

Marking
5: 739 (steelhead)
Martin, Nigel Vernon
4: 541 (life history of hybrid trout)
Martin, William Robert
2: 169 (tidal power and groundfish catches)
Maskinonge (*Esox masquinongy*)
6: 919 (growth)
Maturity; maturation
1: 41 (haddock)
1: 113, 125; 3: 347; 4: 565 (biochemistry of, in sockeye)
3: 323 (biochemistry of, in coho)
4: 553 (lobsters in Quoddy region)
5: 641 (Pacific crab)
6: 775 (cod)
6: 913 (Pacific herring, collagen content during)
6: 929 (dwarf coastrange sculpins)
Maximum yield
2: 199 (for chinook salmon)
Migration and movement
1: 113, 125; 3: 347; 4: 565 (of adult sockeye, biochemical changes during)
3: 295 (of salmon downstream, in relation to thyroid activity)
4: 453 (of salmon in a brook)
4: 517 (of *Mysis*, vertically)
5: 565 (of salmon fry downstream)
Milt (*see* Organs, internal)
Moorjani, Madhow Naraindas
4: 475 (keeping quality of iced shrimps)
Morphometry
5: 647 (mutant and normal pikes)
Mortality, natural
2: 199 (chinook salmon)
Movement (*see* Migration)
Moyer, Rudolph Henry
6: 811 (keeping quality of dogfish)
Muir, Barry Sinclair
6: 919 (growth rates of maskinonge)
Murphy, Garth Ivor
1: 33 (estimating abundance from longline catches)
Muscle (*see* Analysis; Fillets; Flesh)
Mutant pike (*Esox lucius*)
5: 647 (description, illustration)
Mysidacea
4: 517 (vertical movements of *Mysis*)
6: 762 (as hosts of nematodes)

N

Neave, Ferris
2: 221 (epipelagic fishes, Gulf of Alaska)
Nematodes
2: 291 (*Pontonema* from clams; illustrations)
4: 501 (harmlessness in cod fillets)
6: 763 (*Porrocaecum*)
New Brunswick
2: 133 (herring fishery)
Newfoundland region
2: 211 (sound scatterers in)
2: 235 (food of redfish)
6: 775 (growth and maturity of cod)
Nicholls, Charles Franklin
5: 687 (aquarium)
Nitrogenous constituents (*see also* Acids, amino; Analysis, chemical; Protein; Trimethylamine)
4: 478 (of spoiling shrimp muscle)
6: 811 (of dogfish flesh)
6: 895 (trimethylamine oxide and betaine in lobster)
Nogies Creek, Ont.
6: 919 (growth of maskinonge)
Nucleotides; Nucleosides
3: 371; 5: 603 (of lingcod muscle)
3: 449 (in muscle of Pacific salmons)
4: 565 (in tissues of maturing sockeye)
Nutrients (in water)
6: 871 (effect on algal growth)
Nutrition
1: 81 (effects of *Triaenophorus* in puppy rations)
4: 501 (effects of *Phocanema* in puppy rations)

O

Oceanography, Atlantic
2: 181 (surface circulation in Bay of Fundy)
2: 211 (temperature in Esquiman Channel)
3: 377 (in estuary of St. John River, N.B.)
5: 727; 6: 743 (current measurements in Passamaquoddy Bay, N.B., and vicinity)
Oceanography, Pacific
1: 61 (anomalous warming of waters off Canada)
1: 91 (estuarine analogy, in sub-arctic Pacific)
2: 221 (temperature in NE Pacific)
3: 337 (phosphorus cycle in NE Pacific)
3: 353 (at NE Pacific weather station)
Oliver, Donald Raymond
5: 607 (bottom fauna of Lac la Ronge)
Olsen, Steinar Johannes
2: 211 (sound scatterers in Newfoundland waters)
Onofrey, Eva
3: 323 (biochemistry of maturing coho)
Organs, internal
1: 113; 3: 347; 4: 565 (analyses of maturing sockeye)
3: 323 (analyses of maturing coho)
6: 913 (collagen content of Pacific herring)
Otoliths
6: 775 (growth zones, in cod)
Ovary (*see* Organs, internal)
Oxygen, dissolved (*see also* Limnology; Oceanography)
3: 353 (of NE Pacific waters at weather station)
3: 377 (estuarial waters of St. John River, N.B.)

P

Pacific Ocean (*see* Oceanography, Pacific)
Palatability
1: 1 (tests on cooking of frozen cod fillets)
Parasites (*see also* Nematodes, *Triaenophorus*)
1: 9 (*Sphyrion* on redfish; illustrations)
Park, Edna W.
1: 1 (time and temperature effects on cooking cod fillets)
Parker, Donne Sutherland
1: 1 (time and temperature effects on cooking cod fillets)
Parker, Robert Ray
1: 199 (maximum yield for chinook salmon)
Passamaquoddy Bay, N.B. (*see also* Quoddy region)
5: 699 (distribution of herring)
5: 727; 6: 743 (current measurements in)
Passamaquoddy Power Project (proposed)
2: 169 (effects on groundfish catches)
2: 175 (effects on haddock)
3: 409 (effect on plankton)
4: 507 (passage for anadromous fishes)
4: 553 (effects on lobster industry)
Passamaquoddy Reports (*see* International Passamaquoddy Fisheries Board)
pH (*see also* Limnology; Oceanography)
4: 481 (tests for spoilage of shrimp)
6: 811 (of flesh from stored gutted dogfish)
Phocanema (*see* Nematodes)
Phosphorus compounds (*see also* Nucleotides)
3: 337 (cycle in NE Pacific Ocean waters)
3: 371; 5: 603 (in lingcod muscle)
3: 449 (in muscle of iced spring salmon)
4: 565 (in tissues of maturing sockeye)
Photosynthesis
6: 871 (in *Chlamydomonas*)
Pike (*Esox lucius*)
5: 647 (mutant; illustration)
Pike, Gordon Chesley
1: 123 (Pacific striped dolphin in British Columbia)
6: 944 (correction)
Plaice, American (*Hippoglossoides platessoides*)
6: 762 (nematodes in)
Plankton, estuarine
3: 377 (of St. John River estuary, N.B.)
Plankton, marine
3: 409 (in Quoddy region)
Pomfret (*Brama rayi*)
2: 221 (distribution in NE Pacific)
Porrocaecum (*see* Nematodes)
Potassium
3: 323 (content in tissues and organs of maturing coho)

Predator–prey interaction
5: 687 (aquarium for study)
Preservative
4: 595 (benzoate to inhibit trimethylamine formation)
Prince Edward Island
4: 453 (salmon in a brook)
Protein
1: 113 (amounts in internal organs of maturing sockeye)
1: 125 (amounts in blood plasma of maturing sockeye)
3: 323 (amounts in tissues and organs of maturing coho)
3: 371 (phosphoproteins of lingcod muscle)
Purse seine
6: 828 (illustration)

Q

Quality (*see also* Test, freshness)
1: 1 (palatability of cooked frozen cod fillets)
4: 475 (iced Indian shrimps)
6: 811 (of stored gutted dogfish)
Quoddy region (*see also* Passamaquoddy Bay)
1: 133 (herring fishery)
3: 409 (plankton, herring food)
4: 553 (lobsters)

R

Radioisotope tracers
6: 895 (TMA oxide and betaine biosynthesis in lobster)
Redfish (*Sebastes marinus*)
1: 9 (incidence of *Sphyrion* on)
2: 235 (food in Newfoundland area)
Reid, Kenwyn Garth
3: 371 (phosphorus compounds in lingcod muscle)
Respiration
6: 871 (*Chlamydomonas*)
Ribose
3: 371; 5: 603 (lingcod muscle)
3: 451 (salmon muscle)
Ricker, William Edwin
6: 929 (dwarf coastrange sculpins)
Robertson, Anne Cochrane
4: 487 (alterations in glycogen, etc., in trout following activity)
Roe (*see* Organs, internal)

S

Saint (*see* St.)
Salinity (*see also* Oceanography)
3: 295 (preference by salmon)
3: 353 (NE Pacific Ocean waters at weather station)
3: 377 (estuarial water of St. John River, N.B.)
5: 725 (and herring survival)
Salmon, Atlantic (*Salmo salar*)
4: 453 (effect of brook impoundment; movements of mature and immature parr)
4: 507 (fishways for)
5: 713 (effect of tidal power project on)
Salmon, chinook (*Oncorhynchus tshawytscha*)
2: 199 (size limits for)
3: 449 (inosine and other nucleosides of muscle)
Salmon, chum (*Oncorhynchus keta*)
3: 449 (inosine and other nucleosides of muscle)
Salmon, coho (*Oncorhynchus kisutch*)
3: 323 (biochemistry of sexually maturing, in aquarium)
3: 449 (inosine and other nucleosides of muscle)
Salmon, Pacific (*Oncorhynchus* spp.)
2: 221 (distribution in NE Pacific)
3: 295; 5: 655 (downstream migration)
Salmon, pink (*Oncorhynchus gorbuscha*)
3: 449 (inosine and other nucleosides of muscle)
Salmon, sockeye (*Oncorhynchus nerka*)
1: 113; 3: 347; 4: 565 (biochemical changes in internal organs during spawning migration)
1: 125 (biochemical changes in blood plasma during spawning migration)
6: 943 (correction)
Salmon, spring (*see* Salmon, chinook)
Saunders, John Wilfred
4: 453 (Atlantic salmon in Ellerslie Brook)
Scattergood, Leslie Wayne
6: 943 (correction)
Schad, Donna Jean
4: 501 (effect of test feeding *Phocanema* to pups)
Scotian Shelf
2: 181 (surface circulation in waters of)
Scott, David Maxwell
6: 763 (*Porrocaecum* in Bras d'Or Lakes)
Scott, David Paul
4: 601 (dechlorination of water for aquarium use)
Sculpin, coastrange (*Cottus aleuticus*)
6: 929 (in Cultus Lake)
Sculpin, longhorn (*Myoxocephalus* 18-*spinosus*)
6: 762 (nematodes in)
Sculpin, mailed (*Triglops pingeli*)
6: 762 (nematodes in)
Sculpin, shorthorn (*Myoxocephalus scorpius*)
6: 762 (nematodes in)
Sea raven (*Hemitripterus americanus*)
6: 762 (nematodes in)
Seal, fur (*Callorhinus ursinus*)
1: 81 (with dolphins)
Seal, grey (*Halichoerus grypus*)
6: 762 (food and parasites)
Seal, harbour (*Phoca vitulina*)
6: 762 (food and parasites)
Seasonal "races"
5: 739 (steelhead)
Shark, blue (*Prionace glauca*)
2: 221 (distribution in NE Pacific)

Shark, salmon (*Lamna ditropis*)
2: 221 (distribution in NE Pacific)
Shrimps (*Penaeus* and *Metapenaeus*)
4: 475 (keeping quality of iced, in India)
Size (of fish, etc.)
2: 175 (Passamaquoddy Bay haddock)
4: 453 (salmon in Ellerslie Brook)
4: 541 (native and hybrid trout)
4: 553 (lobsters in Quoddy region)
5: 641 (Pacific crabs)
5: 699 (Passamaquoddy herring)
6: 929 (coastrange sculpins)
6: 933 (herring larvae)
Size limits
2: 199 (for chinook salmon)
Skeena River
5: 655 (salmon downstream migration in)
Smith, Morden Whitney
5: 677 (deferment of trout angling season)
6: 943 (correction)
Smith, Stuart Boland
5: 739 (steelhead stocks in Capilano River)
Sodium
3: 323 (content in tissues and organs of maturing coho)
Solar radiation
5: 699 (in relation to herring distribution)
Sound scatterers
2: 211 (in Newfoundland waters)
Southcott, Burnett Anne
6: 811 (keeping quality of dogfish)
Spawning
4: 541 (of hybrid trout in a lake)
Sphyrion lumpi
1: 9 (incidence on redfish; photographs)
Spleen (*see* Organs, internal)
Spoilage (*see* Quality; Test, freshness)
Sprules, William Memberry
2: 245 (eggs and development of goldeye)
Squires, Hubert Jacob
1: 9 (*Sphyrion* infestation on redfish)
St. John River, N.B.
3: 377 (biological oceanography of estuarial waters)
Statistics, fishery
1: 41 (haddock)
2: 133 (New Brunswick herring)
2: 169 (groundfish in southern New Brunswick)
2: 245 (goldeye, western Canada)
4: 553 (lobsters, Quoddy region)
5: 625 (L. Winnipeg whitefish)
5: 677 (trout from Crecy L.)
Steelhead (*see* Trout, steelhead)
Sterols (*see also* Cholesterol; Lipids)
4: 597 (synthesis of marine)
Stewart, James Edward
4: 595 (inhibition of bacterially produced trimethylamine)
Stop seines
1: 133 (for herring; illustration)
Strickland, John Douglas Hipwell
3: 337 (phosphorus cycle in NE Pacific)
Sugars (*see also* Glucose; Inositol; Ribose)
3: 371; 5: 603 (in lingcod muscle)
4: 565 (in tissues of maturing sockeye)
Summerland, B.C.
4: 487 (trout exercise experiments)
Survival
5: 725 (of herring at low salinity)
Swimming speed
5: 689 (Atlantic herring)

T

Tabata, Susumu
1: 61 (anomalous temperature increase in Pacific Ocean off Canada)
3: 353 (water characteristics at NE Pacific Ocean weather station)
6: 943 (correction)
Tagging
2: 175 (haddock in Fundy region)
6: 919 (effect on growth of maskinonge)
Tarr, Hugh Lewis Aubrey
6: 811 (keeping quality of dogfish)
Television
5: 689 (observations of herring swimming speed)
Temperature (*see also* Limnology; Oceanography)
1: 1 (of cooking; effect on palatability of cod fillets)
1: 61 (anomalous increases in Pacific Ocean off Canada)
2: 221 (related to fish distribution in NE Pacific)
3: 353 (of NE Pacific Ocean waters at weather station)
3: 377 (estuarial water of St. John River, N.B.)
4: 517 (effect on *Mysis* movements)
4: 541 (related to trout distribution)
5: 677 (Crecy L.)
5: 699 (related to herring distribution)
5: 721 (tolerance of herring)
6: 871 (effect on algal growth)
Temple, Robert Frank
6: 943 (correction)
Templeman, Wilfred
1: 9 (*Sphyrion* infestation on redfish)
Test, freshness
4: 475 (TMA, TVN and pH, for iced shrimp)
6: 811 (for flesh of stored gutted dogfish)
Testes (*see* Organs, internal)
Thermocline (*see also* Limnology; Oceanography; Temperature)
3: 353 (in NE Pacific Ocean waters at weather station)
Thomas, Martin Lewis Hall
4: 591 (anchor dredge for burrowing animals)
Thyroid
3: 295 (activity in downstream migrating salmon)
Tibbo, Simeon Noel
1: 133 (herring fishery in southern New Brunswick)
5: 735 (herring exploration in Bay of Fundy)
6: 933 (larval herring)
6: 943, 944 (corrections)

Tidal currents (*see* Currents, water)
Tidal power (*see* Passamaquoddy Power Project)
Tomlinson, Neil
3: 371 (phosphorus compounds in lingcod muscle)
3: 449 (inosine in muscle of Pacific salmons)
5: 603 (free ribose in lingcod muscle)
Transport, of marine water masses (*see also* Currents, water)
1: 98 (in sub-arctic Pacific Ocean)
Triaenophorus
1: 81 (effects when fed to pups)
Trimethylamine
4: 475 (test for spoilage of iced shrimp)
4: 595 (formation, inhibition by benzoate)
6: 811 (in flesh of stored gutted dogfish)
6: 895 (oxide biosynthesis in lobster)
Trites, Ronald Wilmot
3: 377 (estuary study in Bay of Fundy)
6: 743 (drift-bottle experiments in Quoddy region)
Trout, brook (*Salvelinus fontinalis*)
5: 677 (catch in relation to fishing season)
Trout, hybrid (*Salvelinus fontinalis* × *S. namaycush*)
4: 541 (in Algonquin Park, Ont.)
Trout, Kamloops (*Salmo gairdneri*)
4: 487 (blood changes after exercise)
Trout, steelhead (*Salmo gairdneri*)
2: 221 (distribution in NE Pacific)
5: 739 (stocks in Capilano R.)
Tsuyuki, Hiroshi
4: 565 (biochemistry of maturing sockeye)
Tully, John Patrick
1: 61 (anomalous temperature increase in Pacific Ocean off Canada)
1: 91 (estuarine analogy in sub-arctic Pacific Ocean)
Tuna, yellowfin (*Neothunnus macropterus*)
1: 33 (catch per unit of longline effort)

U

Urea
6: 811 (in flesh of stored gutted dogfish)

V

Visweswariah, Krishnamurthy
4: 475 (keeping quality of iced Indian shrimps)
Vladykov, Vadim Dmitrovich
2: 267 (description of ammocoetes; illustrations)

W

Water
4: 601 (dechlorination for aquarium use)
Water, content in fish
1: 113 (changes in internal organs of maturing sockeye)
3: 323 (changes in tissues and organs of maturing coho)
Weir, herring
2: 133 (illustration)
6: 826, 827 (illustration)
Whitefish (*Coregonus clupeaformis*)
1: 81 (*Triaenophorus* parasite, harmlessness in fillets)
5: 625 (L. Winnipeg fishery)
Wilder, Donald George
4: 553 (effects of tidal power structures on lobsters)
Wind
6: 743 (effect on tidal currents in Passamaquoddy Bay region)
Wood, James Douglas
3: 347 (histidine content of maturing sockeye)
6: 903 (blood cholesterol levels)